



AB 1179

**Test report no. BK-010415-5**

<p><b>Name and address of the Client:</b></p> <p>„GRANA” Sp. z o.o. ul. Piłsudskiego 1 32-050 Skawina Laboratorium</p>	<p><b>Sample received:</b> 25.03.2015 <b>Analysis finished:</b> 31.03.2015 <b>Order date:</b> 24.03.2015 <b>Order number:</b> no number <b>Sample</b> Sample name: Barley Cup Organic powder, jar, SAP 8088015, date of production 15.01.2015, LOT 5034A Ingredients: barley, rye, chicory-roasted Sample labelling: Barley Cup Organic powder, jar, SAP 8088015, date of production 15.01.2015, LOT 5034A Sample type: cereal coffee Quantity: 1 x 100 g gross Sample condition: good Sampling data: no data Internal sample number: 612.03.15 Sampled by: the Client</p>
--	--

No.	Analyzed parameter	Result ± uncertainty *	LOD	Unit	Test method
1.	Gluten	>LOD	3,00	mg/kg	Enzyme-linked immunosorbent assay (ELISA) by Mendez, Ingezim Gluten test, according to Test Instruction IB-27 issue 5 (05.03.2015)

\* – expanded uncertainty for results within the quantification range, evaluated for a coverage factor  $k = 2$  and a level of confidence 95% (due to the fact that the Laboratory does not collect samples, this step is not included in uncertainty evaluation); LOD - limit of detection; A - accredited method; Quantification range: 6,25 - 50,0 mg/kg; Specificity: gliadin (from wheat), secalin (from rye), hordein (from barley); Cross reactions: not found;

**Final result:**

The sample analyzed contains gluten in the concentration below the lower limit of quantification of the test (6,25 mg/kg), an accurate determination is not possible.

**Statement of compliance/non-compliance with requirements:**

The test result confirms that, according to the definition stated in the Commission Regulation (EC) No. 41/2009 of 20 January 2009 concerning the composition and labelling of foodstuffs suitable for people intolerant to gluten, the above mentioned product sample is gluten-free – contains below 20 mg/kg of gluten.

**nuscana**  
biotechnika laboratoryjna  
Adam Dąbrowski  
60-166 Poznań, ul. Wieruszowska 12/16  
tel. 61 868 62 72 fax 61 868 62 73  
NIP 779-214-61-18 REGON 634234260

The report contains 1 test result.

<p>Preparation date:</p> <p>01.04.2015</p>	<p>Prepared by:</p> <p><i>Beata Kudzia</i> Beata Kudzia Analysis Specialist</p>	<p>Approved by:</p> <p><i>Marcin Kubiak</i> Marcin Kubiak Analysis Specialist</p>
--	---	---

The test results refer exclusively to the sample analyzed. Test reports without written permission of the Laboratory can be duplicated only as a whole. The Client has the right to complain in 7 days after receiving the test report. The test report was made in duplicate (one for the Client, second for the Laboratory).